

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

IN THE CLAIMS:

Please amend claims 22, 23, 25, and 26, as follows:

22. A device, comprising:

an enclosure;

a plurality of heat dissipating components disposed within said enclosure; and

a flexible thermally conductive assembly disposed between said plurality of heat dissipating electrical components and said enclosure, wherein said flexible thermally conductive assembly comprises:

a flexible, thermally conductive elastomeric member comprising a first side, an opposing second side, and a plurality of edges connecting said first side and said second side; and

an electrically insulating first coating encapsulating said elastomeric member, wherein said first coating prevents release from said thermally conductive assembly of one or more substances emitted by said elastomeric member.

23. The device of claim 22, further comprising a circuit substrate, wherein said plurality of heat dissipating components are disposed on one side of said circuit substrate, and wherein two or more of said plurality of heat dissipating components have heights above said circuit substrate.

25. The device of claim 24, wherein said inner layer is formed from the group consisting of natural rubber, polybutadiene, polyisoprene, polystyrene, polyethylene, polychlorotrifluoroethylene, polytetrafluoroethylene, ethylene / chlorotrifluoroethylene copolymer, ethylene / tetrafluoroethylene copolymer, polypropylene, polyethylene /

LAW OFFICE OF
DALE F. REGELMAN, P.C.
4231 S. Fremont Street
Tucson, Arizona 85714

TEL 520-741-7636
FAX 520-746-9114

polypropylene copolymer, fluorinated ethylene-propylene copolymer, polyethylene terephthalate, polypropylene terephthalate, polybutylene terephthalate, polynaphthalene terephthalate, polyvinylacetate, polyamide, polyimide, polyamideimide, polyurethane, polyvinyl fluoride, polyvinylidene fluoride, polyvinyl chloride, polyvinylidene chloride, and mixtures thereof.

26. The device of claim 24, wherein said outer layer is formed from the group consisting of natural rubber, polybutadiene, polyisoprene, polystyrene, polyethylene, polychlorotrifluoroethylene, polytetrafluoroethylene, ethylene / chlorotrifluoroethylene copolymer, ethylene / tetrafluoroethylene copolymer, polypropylene, polyethylene / polypropylene copolymer, fluorinated ethylene-propylene copolymer, polyethylene terephthalate, polypropylene terephthalate, polybutylene terephthalate, polynaphthalene terephthalate, polyvinylacetate, polyamide, polyimide, polyamideimide, polyurethane, polyvinyl fluoride, polyvinylidene fluoride, polyvinyl chloride, polyvinylidene chloride, and mixtures thereof.

LAW OFFICE OF
DALE F. REGELMAN, P.C.
4231 S. Fremont Street
Tucson, Arizona 85714

TEL 520-741-7636
FAX 520-746-9114